List of Figures

Chapter 2	Environmental Management	
Figure 2–1	Reduced Hazards with Reduced Costs	28
Figure 2–2	Facility Risk Management	28
Chapter 3	Radiological Effluent Monitoring	
Figure 3–1	Ten-Year History of SRS Annual Atmospheric Tritium Releases	33
Figure 3–2	Direct Releases of Tritium to SRS Streams, 1992–2001	35
Chapter 4	Radiological Environmental Surveillance	
Figure 4–1	Radiological Air Surveillance Sampling Locations	42
Figure 4–2	Average Concentration of Tritium in Rainwater, 2001	45
Figure 4–3	Annual Average/Maximum Gamma Exposure Grouped by Program Element, 1997–2001	46
Figure 4–4	Radiological Surface Water Sampling Locations	48
Figure 4–5	Average Tritium Concentrations in Major SRS Streams, 1992–2001	50
Figure 4–6	Radioactive-Material Trends in Major SRS Streams, 1997–2001	51
Figure 4–7	Tritium Migration from Seepage Basins and SWDF to SRS Streams, 1992–2001	52
Figure 4–8	Total Tritium Releases to SRS Streams (Direct Discharges and Migration), 1992–2001, Based on Point-of-Release Concentrations and Flow Rates	53
Figure 4–9	Tritium Migration Releases to Four Mile Creek from the F-Area and H-Area Seepage Basins and SWDF, 1992–2001	54
Figure 4–10	Tritium Migration Releases to Upper Three Runs from the General Separations Area and SWDF, 1992–2001	55
Figure 4–11	SRS Tritium Transport Summary, 1960–2001	57
Figure 4–12	SRS Fish Sampling Locations	60
Figure 4–13	Radiological Soil Sampling Locations	63
Figure 4–14	Radiological Sediment Sampling Locations	66
Figure 4–15	SRS Vegetation Sampling Locations	67
Figure 4–16	Burke/Screven County Well Locations	69
Chapter 5	Potential Radiation Doses	
Figure 5–1	Savannah River Mile 118.8 Annual Average Flow Rates, 1954–2001	74
Figure 5–2	Annual Average Tritium Concentrations at River Mile 118.8, Beaufort-Jasper, and Port Wentworth (1992–2001) Compared to the EPA MCL for tritium of 20 pCi/mL.	76

Figure 5–3	Sector-Specific Adult Maximally Exposed Individual Air Pathway Doses (in mrem) for 2001 8	31
Figure 5–4	Ten-Year History of SRS Potential All-Pathway Doses to the Maximally Exposed Individual (Airborne plus Liquid Pathways)	82
Figure 5–5	Contributions to the U.S. Average Individual Dose	34
Figure 5–6	Annual Potential Radiation Doses and 50-Year Potential Risks from Consumption of Savannah River Creek Mouth Fish, 1993–2001	37
Chapter 6	Nonradiological Effluent Monitoring	
Figure 6–1	NPDES Sampling Locations	93
Figure 6–2	History of NPDES Exceedances at SRS, and Site's Compliance Rate, 1992–2001	95
Chapter 7	Nonradiological Environmental Surveillance	
Figure 7–1	Nonradiological Surface Water Sampling Locations	21
Figure 7–2	Drinking Water Systems	Э3
Figure 7–3	Nonradiological Sediment Sampling Locations	Э4
Chapter 8	Groundwater	
Figure 8–1	Facilities Monitored by the SRS Monitoring Well Network; Shaded Areas Indicate Extent of Groundwater Contamination in 2001	38
Figure 8–2	Hydrostratigraphic Units at SRS	11
Figure 8–3	Groundwater at SRS	12
Figure 8–4	Water Table Contours at SRS	13
Figure 8–5	Potentiometric Surface of the Gordon Aquifer at SRS	14
Figure 8–6	Potentiometric Surface of the Crouch Branch Aquifer at SRS 1	15
Figure 8–7	Potentiometric Surface of the McQueen Branch Aquifer at SRS	16
Chapter 10	Special Surveys and Projects	
Figure 10–1	Swamp Contamination	37
Figure 10–2	Savannah River Swamp Sampling Trails	38
Appendix A	Applicable Guidelines, Standards, and Regulations	
Figure A-1	SRS EM Program QA/QC Document Hierarchy	49

vi Savannah River Site